

## 平成 20 年度 論文発表

---

- 1) Santa, T., Al-Dirbashi, O.Y., Ichibangase, T., Rashed, M.S., Fukushima, T., Imai, K.  
Synthesis of 4-[2-(N,N-dimethylamino)ethylaminosulfonyl]-7-N-methylhydrazino-2,1,3-benz oxadiazole (DAABD-MHz) as a derivatization reagent for aldehydes in liquid chromatography/electrospray ionization-tandem mass spectrometry.  
Biomed. Chromatogr., 22: 115-118 (2008)
- 
- 2) Ichibangase, T., Moriya, K., Koike, K., Imai, K.  
Limitation of immunoaffinity column for the removal of abundant proteins from plasma in quantitative plasma proteomics.  
Biomed. Chromatogr., 23(5): 480-487 (2009)
- 
- 3) Asamoto, H., Ichibangase, T., Uchikura, K., Imai, K.  
Application of an improved proteomics method, fluorogenic derivatization-liquid chromatography-tandem mass spectrometry, to differential analysis of proteins in small regions of mouse brain.  
J. Chromatogr. A, 1208: 147-155 (2008)
- 
- 4) Tsunoda, M., Uchino, E., Imai, K., Funatsu, T.  
Oxidative stress increases 6-nitronorepinephrine and 6-nitroepinephrine concentrations in rat brain.  
Biomed. Chromatogr., 22: 572-574 (2008).
- 
- 5) Ichibangase, T., Imai, K.  
Application of fluorogenic derivatization-Liquid chromatography-tandem mass spectrometric proteome method to skeletal muscle proteins in fast thoroughbred horses.  
J. Proteome Res., 8 (4): 2129-2134 (2009)
- 
- 6) Sakai-Kato, K., Ishiguro, A., Mikoshiba, K., Aruga, J., Utsunomiya-Tate, N.  
CD spectra show the relationship style between Zic- Gli-, Glis-zinc-finger protein and DNA.  
Biochimica et Biophysica Acta, 1784: 1011-1019 (2008)
- 
- 7) Hatayama, M., Tomizawa, T., Sakai-Kato, K., Bouvagnet, P., Kose, S., Imamoto, N., Yokoyama, S., Utsunomiya-Tate, N., Mikoshiba, K., Kigawa, T., Aruga, J.  
Functional and structural basis of the nuclear localization signal in the ZIC3 zinc finger domain.  
Human Mol. Genetics, 17(22): 3559-3473 (2008)

- 8) Sakai-Kato, K., Kinouchi, T., Fujii, N., Imai, K., Utsunomiya-Tate, N.  
Screening system for D-aspartyl endopeptidase and two-dimensional gel electrophoresis.  
*Amino Acids*, 36: 125-129 (2009)
- 
- 9) Yasui, E., Wada, M., Takamura, N.  
Novel method for synthesis of aryl hydrazones from  $\alpha$ -diazo esters: scope and limitations of nucleophiles.  
*Tetrahedron*, 65(2): 461-468 (2009)
- 
- 10) Tsumoto, H., Takahashi, K., Suzuki, T., Nakagawa, H., Kohda, K., Miyata, N.  
Preparation of C<sub>60</sub>-based active esters and coupling of C<sub>60</sub> moiety to amines or alcohols.  
*Bioorg. Med. Chem. Lett.*, 18: 657-660 (2008)
- 
- 11) Tsumoto, H., Ra, M., Samejima, K., Taguchi, R., Kohda, K. Chemical derivatization of peptides containing phosphorylated serine/threonine for efficient ionization and quantification in matrix-assisted laser desorption/ionization time-of-flight mass spectrometry.  
*Rapid Commun. Mass Spectrom.*, 22: 965-972 (2008)
- 
- 12) Okamoto, S., Taguchi, T., Ochi, K., Ichinose, K.  
Biosynthesis of Actinorhodin and Related Antibiotics: Discovery of Alternative Routes for Quinone Formation Encoded in the act Gene Cluster.  
*Chem. Biol.*, 16: 226-236 (2009)
- 
- 13) Shimada, T., Kudo, T., Akase, T., Aburada, M  
Preventive effects of Bofutsushosan on obesity and various metabolic disorders.  
*Biol. Pharm. Bull.*, 31(7): 1362-1367 (2008)
- 
- 14) Shimada, T., Akase, T., Kosugi, M., Aburada, M  
Preventive Effect of Boigito on Metabolic Disorders in the TSOD Mouse, a Model of Spontaneous Obese Type II Diabetes Mellitus.  
*Evid. Based Complement. Alternat. Med.*, in press, Epub 2009 Feb 10
- 
- 15) Akaishi, T., Morimoto, T., Shibao, M., Watanabe, S., Sakai-Kato, K., Utsunomiya-Tate, N., Abe, K.  
Structural requirements for the flavonoid fisetin in inhibiting fibril formation of amyloid beta protein.  
*Neurosci. Lett.*, 444(3): 280-285 (2008)

- 16) Abe, K., Niikura, Y., Fujimoto, T., Akaishi, T., Misawa, M.  
Involvement of dopamine D2 receptors in the induction of long-term potentiation in the basolateral amygdala-dentate gyrus pathway of anesthetized rats.  
*Neuropharmacology*, 55(8): 1419-1424 (2008)
- 
- 17) Abe, K., Fujimoto, T., Akaishi, T., Misawa, M.  
Stimulation of basolateral amygdaloid serotonin 5-HT2C receptors promotes the induction of long-term potentiation in the dentate gyrus of anesthetized rats.  
*Neurosci. Lett.*, 451(1): 65-68 (2009)
- 
- 18) Abe, K., Fujimoto, T., Niikura, Y., Akaishi, T., Misawa, M.  
Modulatory role of dopamine D2 receptors and fundamental role of L-type Ca<sup>2+</sup> channels in the induction of long-term potentiation in the basolateral amygdala-dentate gyrus pathway of anesthetized rats.  
*Eur. J. Pharmacol.*, 606(1-3): 90-93 (2009)
- 
- 19) Abe, K., Fujimoto, T., Akaishi, T., Misawa, M.  
Basolateral amygdala D1- and D2-dopaminergic system promotes the formation of long-term potentiation in the dentate gyrus of anesthetized rats.  
*Prog. Neuropsychopharmacol. Biol. Psychiatry*, 33(3): 552-556 (2009)
- 
- 20) Maher, P., Akaishi, T., Schubert, D., Abe, K.  
A pyrazole derivative of curcumin enhances memory.  
*Neurobiol. Aging*, in press, Epub 2008 Jul 16.
- 
- 21) Akahoshi, N., Kobayashi, C., Ishizaki, Y., Izumi, T., Himi, T., Suematsu, M., Ishii, I.  
Genetic background conversion ameliorates semi-lethality and permits behavioral analyses in cystathionine beta-synthase-deficient mice, an animal model for hyperhomocysteinemia.  
*Hum. Mol. Genet.*, 17(13): 1994-2005 (2008)
- 
- 22) Kawaguchi, M., Morohoshi, K., Saita, E., Yanagisawa, R., Watanabe, G., Takano, H., Morita, M., Imai, H., Taya, K., Himi, T.  
Developmental exposure to pentachlorophenol affects the expression of thyroid hormone receptor b1 and synapsin I in brain, resulting in thyroid function vulnerability in rats.  
*Endocrine*, 33(3):277-284 (2008)

23) Weng, Q., Shi, Z., Kawaguchi, M., Watanabe, G., Taya, K.

Expression of Nerve Growth Factor and its Receptors trkA and p75 and Inhibin alpha-Subunit in the Ovarian Interstitial Cells of Lactating Golden Hamsters.

J. Reprod. Dev., 54(5): 397-401 (2008)

---

24) Irie, K., Sato, T., Tanaka, I., Nakajima, J., Kawaguchi, M., Himi, T.

Cardiotonic effect of Apocynum venetum L. extracts on the isolated guinea pig atrium

J. Nat. Med., 63(2):111-116 (2009)

---

25) Kawaguchi, M., Morohoshi, K., Irie, K., Masuda, J., Watanabe, G., Morita, M., Imai, H., Taya, K., Himi T.

Maternal isobutyl-paraben exposure decreases plasma corticosterone level in dam and sensitivity to estrogen in female offspring rats.

J. Vet. Med. Sci., in press

---

26) Kawakami, M., Matsuo, Y., Yoshiura, K., Nagase, T., Yamashita, N.

Sequential and quantitative analysis of a murine model of elastase-induced emphysema.

Biol. Pharm. Bull., 31: 1434-1438 (2008)

---

27) Yoshiura, K., Nishishita, T., Nakaoka, T., Yamashita, N.

Inhibition of B16 melanoma growth and metastasis in C57BL mice by vaccination with a syngeneic endothelial cell line.

J. Exp. Clin. Cancer Res., 28: 13-19 (2009)

---

28) Takano-Ohmuro, H., Yoshida, L.S., Yuda, Y., Morioka, K., Kitani, S.

Shikonin inhibits IgE-mediated histamine release by human basophils and Syk kinase activity.

Inflamm. Res., 57(10): 484-488 (2008)

---

29) Toyota, N., Takano-Ohmuro, H., Yoshida, L.S., Araki, M., Yoshinobu, K., Suzuki-Toyota, F.

Suppression of cardiac troponin T induces reduction of contractility and structural disorganization in chicken cardiomyocytes.

Cell Struct. Funct., 33(2): 193-204 (2008)

---

30) Horiguchi, K., Irie K., Masuda J., Yamashita N., Moriwaki Y., Okuda T., Misawa H., Ozaki H., Takano-Ohmuro H., Himi T., Kawashima K.

Expression of SLURP-1, an endogenous  $\alpha 7$  nicotinic acetylcholine receptor allosteric ligand, in murine bronchial epithelial cells.

J. Neurosci. Res., in press, Epub 2009 Apr 24

---

31) Yoshida, L.S., Tsunawaki, S.

Expression of NADPH oxidases and enhanced H<sub>2</sub>O<sub>2</sub>-generating activity in human coronary artery endothelial cells upon induction with tumor necrosis factor-alpha.

Int. Immunopharmacol., 8: 1377-1385 (2008)

---

32) Ohtani, M., Suzuki, J., Jacobson, KA., Oka, T.

Evidence for the possible involvement of P2Y6 receptor in Ca<sup>2+</sup> mobilization and insulin secretion in mouse pancreatic islets.

Purinergic Signaling, 4: 365-375 (2008)

---

33) Ohtani, M., Daly, J.W., Oka, T.

Co-existence of muscarinic and nicotinic receptors and their functional interaction in mouse Beta-TC6 cells.

Eur. J. Pharmacol., 604: 150-157 (2009)

---

34) Suzuki, J.I., Murakami, Y., Samejima, K., Kohda, K., Ohtani, M., Oka, T.

Antizyme is necessary for conversion of pancreatic tumor cells into glucagon-producing differentiated cells.

Endocr. Relat. Cancer, in press, Epub 2009 Apr 6

---

35) Ishibashi, T., Miwa, T., Shinkawa, I., Nishizawa, N., Nomura, M., Yoshida, J., Kawada T., Nishio, M.

Quantifying nanomolar levels of nitrite in biological samples by HPLC-Griess method: Special reference to arterio-venous difference in vivo.

Tohoku J. Exp. Med., 215(1): 1-11 (2008)

---

36) Hanada, K., Ikemi, Y., Kukita, K., Mihara, K., Ogata, H.

Stereoselective first-pass metabolism of verapamil in the small intestine and liver in rats.

Drug Metab. Dispos., 36(10): 2037-2042 (2008)

---

37) Ishibashi, T., Nishizawa, N., Nomura, M., Shasha L., Mei Y., Miwa, T., Shinkawa, I., Yoshida, J., Kawada T., Nishio, M.

Arteriovenous differences in NO<sub>2</sub>- kinetics in anesthetized rabbits.

Biol. Pharm. Bull., 32(3): 399-404 (2009)

---

38) Hijikata, T., Nakamura, A., Isokawa, K., Imamura, M., Yuasa, K., Ishikawa, R., Kohama, K., Takeda, S., Yorifuji, H.

Plectin 1 links intermediate filaments to costameric sarcolemma through β-synemin, α-dystrobrevin and actin.

J. Cell Sci., 121: 2062-2074 (2008)

---

39) Murakami, T., Hijikata, T., Yorifuji, H.

Staging of disuse atrophy of skeletal muscles on immunofluorescence microscopy.

Anat. Sci. Int., 83: 68-76 (2008)

---

40) Yuasa, K., Hagiwara, Y., Ando, M., Nakamura, A., Takeda, S., Hijikata, T.

MicroRNA-206 is overexpressed in newly formed muscle fibers: Implication of potential for muscle regeneration and maturation in muscular dystrophy.

Cell Struct. Funct., 33: 163-169 (2008)

---

41) Kanki, K., Kawamura, T., Watanabe, Y.

Control of ER stress by a chemical chaperone counteracts apoptotic signals in IFN- $\gamma$ -treated murine hepatocytes.

Apoptosis, 14: 309-319 (2009)

---

42) Otsuka, M., Fukui, Y., Otsuka, K.

Comparative Evaluation of Bioactivity of Crystalline Trypsin for Drying Process by Fourier-Transformed Infrared Spectroscopy.

Colloids and Surfaces B: Biointerfaces, 69: 194-200 (2009)

---

43) Kakuda, H., Okada, T., Otsuka, M., Katsumoto, K., Hasegawa, T.

Multivariate analysis of DSC-XRD simultaneous measurement data: A Study of Multistage Crystalline Structure Changes in a Linear Poly(ethylene imine) Thin Film.

Analytical and Bioanalytical Chemistry, 393(1): 367-376 (2009)

---

44) Suda, M., Takayama, K., Otsuka, M.

An Accurate Quantitative Analysis of Polymorphic Content by Chemometric X-ray Powder Diffraction.

Anal. Sci., 24: 549-557 (2008)

---

45) Shinsako, K., Okui, Y., Matsuda, Y., Kunimasa, J., Otsuka, M.

Effects of Bead Size and Polymerization in PMMA Bone Cement on Vancomycin Release.

Bio-Medical Mat. Eng., 18: 377-385 (2008)

---

46) Papangkorn, K., Yan, G., Heslop, D.D., Moribe, K., Baig, A.A., Otsuka, M., Higuchi, W.I.

Influence of Crystallite Microstrain on Surface Complexes Governing the Metastable Equilibrium Solubility Behavior of Carbonated Apatites.

J. Colloid and Interface Science, 320(1): 96-109, (2008)

---

47) Awa, K., Okumura, T., Shinzawa, H., Otsuka, M., Ozaki, Y.

Self-Modeling Curve Resolution (SMCR) Analysis of Near-Infrared (NIR) Imaging Data of Pharmaceutical Tablets.

Analytica Chimica Acta, 619: 81-86 (2008)

---

48) Kanou, S., Nishimura, K., Ichikawa, M., Yoshida, J., Sakata, Y., Otsuka, M.

Effect of Dehydration and Urea on Stability of Homosulfamine in Solid States.

Drug Dev. Ind. Pharm., 34: 771-780 (2008)