

履歴書

氏名 穴田 仁洋 (あなだ まさひろ) 博士(薬学)

生年月日 昭和 46(1971)年 7 月 9 日 (満 43 歳)

現住所 〒065-0013 札幌市東区北1 3条東2 丁目 2-3 6-7 0 2

学歴・職歴

平成 2(1990)年 3 月	北海道室蘭栄高等学校卒業
平成 2(1990)年 4 月	北海道大学教養部理 II 系入学
平成 4(1992)年 4 月	北海道大学薬学部製薬化学科進学
平成 6(1994)年 3 月	北海道大学薬学部製薬化学科卒業 (橋本 俊一教授)
平成 6(1994)年 4 月	北海道大学大学院薬学研究科修士課程入学
平成 8(1996)年 3 月	北海道大学大学院薬学研究科修士課程修了 (橋本 俊一教授)
平成 8(1996)年 4 月	北海道大学大学院薬学研究科博士課程進学
平成 11(1999)年 3 月	北海道大学大学院薬学研究科博士課程修了 (橋本 俊一教授) 博士(薬学)号取得
平成 11(1999)年 4 月	北海道大学大学院薬学研究科創薬化学講座薬品製造化学分野にて研究に従事 (橋本 俊一教授) (～平成 11(1999)年 7 月)
平成 11(1999)年 8 月	ハーバード大学化学科博士研究員(岸 義人教授) (～平成 14(2002)年 4 月)
平成 14(2002)年 5 月	北海道大学大学院薬学研究科助手 (橋本 俊一教授) (～平成 19(2007)年 3 月)
平成 19(2007)年 4 月	北海道大学大学院薬学研究院助教 (橋本 俊一教授) (～平成 22(2010)年 5 月)
平成 22(2010)年 6 月	北海道大学大学院薬学研究院准教授 (橋本 俊一教授) 現在に至る
平成 9(1997)年 4 月～平成 11(1999)年 3 月	日本学術振興会特別研究員 (DC2)

所属学会

日本薬学会、有機合成化学協会、米国化学会、英国化学工業協会、日本プロセス化学会、日本化学会

受賞

平成 22(2010)年 11 月

平成 22 年度日本薬学会北海道支部奨励賞受賞

免許・資格

平成 3(1991)年 8 月

普通自動車運転免許取得

平成 6(1994)年 6 月

薬剤師免許取得

業績目録

原著論文

1. Watanabe, N.; Anada, M.; Hashimoto, S.; Ikegami, S.
Enantioselective Intramolecular C-H Insertion Reactions of *N*-Alkyl-*N*-*tert*-Butyl- α -Methoxycarbonyl- α -Diazoacetamides Catalyzed by Dirhodium(II) Carboxylates: Catalytic, Asymmetric Construction of 2-Azetidinones.
Synlett **1994**, 1031–1033.
2. Hashimoto, S.; Watanabe, N.; Anada, M.; Ikegami, S.
Site- and Enantiocontrol in Intramolecular C-H Insertion Reactions of α -Diazo Carbonyl Compounds Catalyzed by Dirhodium Carboxylates.
J. Synth. Org. Chem., Jpn. **1996**, 54, 988–999.
3. Anada, M.; Hashimoto, S.
Enantioselective Synthesis of 4-Substituted 2-Pyrrolidinones by Site-selective C-H Insertion of α -Methoxycarbonyl- α -diazoacetanilides Catalyzed by Dirhodium(II) Tetrakis[*N*-phthaloyl- (*S*)-*tert*-leucinate].
Tetrahedron Lett. **1998**, 39, 79–82.
4. Anada, M.; Watanabe, N.; Hashimoto, S.
Highly Enantioselective Construction of the Key Azetidin-2-ones for the Synthesis of Carbapenem Antibiotics via Intramolecular C-H Insertion Reactions of α -Methoxycarbonyl- α -diazoacetamides Catalysed by Chiral Dirhodium(II) Carboxylates.
Chem. Commun. **1998**, 1517–1518.
5. Anada, M.; Hashimoto, S.
Enantioselective Intramolecular C-H Insertion Route to a Key Intermediate for the Synthesis of Trinem Antibiotics.
Tetrahedron Lett. **1998**, 39, 9063–9066.
6. Anada, M.; Sugimoto, T.; Watanabe, N.; Nakajima, M.; Hashimoto, S.
A Concise Synthesis of (+)- α -Allokainic Acid via Site- and Diastereoselective Intramolecular C-H Insertion Process.
Heterocycles **1999**, 50, 969–980.
7. Kitagaki, S.; Anada, M.; Kataoka, O.; Matsuno, K.; Umeda, C.; Watanabe, N.; Hashimoto, S.
Enantiocontrol in Tandem Carbonyl Ylide Formation and Intermolecular 1,3-Dipolar Cycloaddition of α -Diazo Ketones Mediated by Chiral Dirhodium(II) Carboxylate Catalyst.
J. Am. Chem. Soc. **1999**, 121, 1417–1418.
8. Anada, M.; Mita, O.; Watanabe, H.; Kitagaki, S.; Hashimoto, S.
Catalytic Enantioselective Synthesis of the Phosphodiesterase Type IV Inhibitor (*R*)-(–)-Rolipram via Intramolecular C-H Insertion Process.
Synlett **1999**, 1775–1777.

9. Anada, M.; Kitagaki, S.; Hashimoto, S.
Double Stereodifferentiation in Intramolecular C-H Insertion Reaction toward the Synthesis of 1 β -Methylcarbapenem Antibiotics.
Heterocycles **2000**, *52*, 875–883.
10. Kitagaki, S.; Yashugahira, M.; Anada, M.; Nakajima, M.; Hashimoto, S.
Enantioselective Intermolecular 1,3-Dipolar Cycloaddition *via* Ester-derived Carbonyl Ylide Formation Catalyzed by Chiral Dirhodium(II) Carboxylates.
Tetrahedron Lett. **2000**, *41*, 5931–5935.
11. Kitagaki, S.; Kinoshita, M.; Takeba, M.; Anada, M.; Hashimoto, S.
Enantioselective Si-H Insertion of Methyl Phenyl diazoacetate Catalyzed by Dirhodium(II) Carboxylates Incorporating *N*-Phthaloyl-(S)-amino Acids as Chiral Bridging Ligands.
Tetrahedron: Asymmetry **2000**, *11*, 3855–3859.
12. Kitagaki, S.; Yanamoto, Y.; Tsutsui, H.; Anada, M.; Nakajima, M.; Hashimoto, S.
Enantioselective [2,3]-Sigmatropic and [1,2]-Stevens Rearrangements *via* Intramolecular Formation of Allylic Oxonium Ylides Catalyzed by Chiral Dirhodium(II) Carboxylates.
Tetrahedron Lett., **2001**, *42*, 6361–6364.
13. Saito, H.; Oishi, H.; Kitagaki, S.; Nakamura, S.; Anada, M.; Hashimoto, S.
Enantio- and Diastereoselective Synthesis of *cis*-2-Aryl-3-methoxycarbonyl-2,3-dihydrobenzofurans via the Rh(II)-Catalyzed C-H Insertion Process.
Org. Lett. **2002**, *4*, 3887–3890.
14. Yamawaki, M.; Tsutsui, H.; Kitagaki, S.; Anada, M.; Hashimoto, S.
Dirhodium(II) Tetrakis[*N*-tetrachlorophthaloyl-(S)-*tert*-leucinate]: a New Chiral Rh(II) Catalyst for Enantioselective Amidation of C-H Bonds.
Tetrahedron Lett. **2002**, *43*, 9561–9564.
15. Tsutsui, H.; Yamaguchi, Y.; Kitagaki, S.; Nakamura, S.; Anada, M.; Hashimoto, S.
Dirhodium(II) Tetrakis[*N*-tetrafluorophthaloyl-(S)-*tert*-leucinate]: an Exceptionally Effective Rh(II) Catalyst for Enantiotopically Selective Aromatic C-H Insertions of Diazo Ketoesters.
Tetrahedron: Asymmetry **2003**, *14*, 817–811.
16. Nakamura, S.; Hirata, Y.; Kurosaki, T.; Anada, M.; Kataoka, O.; Kitagaki, S.; Hashimoto, S.
Total Synthesis of the Squalene Synthase Inhibitor Zaragozic Acid C by a Carbonyl Ylide Cycloaddition Strategy.
Angew. Chem. Int. Ed. **2003**, *42*, 5351–5355.
17. Hikichi, K.; Kitagaki, S.; Anada, M.; Nakamura, S.; Nakajima, M.; Shiro, M.; Hashimoto, S.
Synthesis and Evaluation of Novel Dirhodium(II) Carboxylate Catalysts with Atropisomeric Biaryl Backbone.
Heterocycles **2003**, *61*, 391–401.

18. Anada, M.; Washio, T.; Shimada, N.; Kitagaki, S.; Nakajima, M.; Shiro, M.; Hashimoto, S. A New Dirhodium(II) Carboxamidate Complex as a Chiral Lewis Acid Catalyst for Enantioselective Hetero-Diels–Alder Reactions. *Angew. Chem. Int. Ed.* **2004**, *43*, 2665–2668.
19. Minami, K.; Saito, H.; Tsutsui, H.; Nambu, H.; Anada, M.; Hashimoto, S. Highly Enantio- and Diastereoselective Construction of 1,2-Disubstituted Cyclopentane Compounds by Dirhodium(II) Tetrakis[*N*-phthaloyl-(*S*)-*tert*-leucinate]-Catalyzed C–H Insertion Reactions of α -Diazoesters. *Adv. Syn. Catal.* **2005**, *347*, 1483–1487.
20. Tsutsui, H.; Abe, T.; Nakamura, S.; Anada, M.; Hashimoto, S. Practical Synthesis of Dirhodium(II) Tetrakis[*N*-phthaloyl-(*S*)-*tert*-leucinate]. *Chem. Pharm. Bull.* **2005**, *53*, 1366–1368.
21. Washio, T.; Nakamura, S.; Anada, M.; Hashimoto, S. Dirhodium(II) Tetrakis[*N*-benzene-fused-phthaloyl-(*S*)-piperidinonate] as Chiral Lewis Acid: Catalytic Enantioselective Aldol Reactions of Acetate-derived Silylketene Acetals and Aldehydes. *Heterocycles* **2005**, *66*, 567–578.
22. Matsuura, F.; Peters, R.; Anada, M.; Harried, S. S.; Hao, J.; Kishi, Y. Unified Total Synthesis of Pteriatoxins and Their Diastereomers. *J. Am. Chem. Soc.* **2006**, *128*, 7463–7465.
23. Anada, M.; Tanaka, M.; Suzuki, K.; Nambu, H.; Hashimoto, S. Dirhodium(II) Tetrakis(perfluorobutyrate)-catalyzed 1,4-Hydrosilylation of α,β -Unsaturated Carbonyl Compounds. *Chem. Pharm. Bull.* **2006**, *54*, 1622–1623.
24. Yamawaki, M.; Kitagaki, S.; Anada, M.; Hashimoto, S. Enantioselective Intramolecular C–H Amidation of Sulfamate Esters Catalyzed by Chiral Dirhodium(II) Carboxylates. *Heterocycles* **2006**, *69*, 527–537.
25. Hirata, Y.; Nakamura, S.; Watanabe, N.; Kataoka, O.; Kuroski, T.; Anada, M.; Kitagaki, S.; Shiro, M.; Hashimoto, S. Total Syntheses of Zaragozic Acids A and C by a Carbonyl Ylide Cycloaddition Strategy. *Chem. Eur. J.* **2006**, *12*, 8898–8925.
26. Natori, Y.; Anada, M.; Nakamura, S.; Nambu, H.; Hashimoto, S. Enantioselective Synthesis of 3-Arylindan-1-ones via Intramolecular C–H Insertion Reactions of α -Diazo- β -ketoesters Catalyzed by Chiral Dirhodium(II) Carboxylates. *Heterocycles* **2006**, *70*, 635–646.
27. Tsutsui, H.; Shimada, N.; Abe, T.; Anada, M.; Nakajima, M.; Nakamura, S.; Nambu, H.; Hashimoto, S. Catalytic Enantioselective Tandem Carbonyl Ylide Formation/1,3-Dipolar Cycloaddition Reactions of α -Diazo Ketones with Aromatic Aldehydes Using Dirhodium(II) Tetrakis[*N*-benzene-fused-phthaloyl-(*S*)-valinate]. *Adv. Synth. Catal.* **2007**, *349*, 521–526.

28. Yamawaki, M.; Tanaka, M.; Abe, T.; Anada, M.; Hashimoto, S. Catalytic Enantioselective Aziridination of Alkenes Using Chiral Dirhodium(II) Carboxylates. *Heterocycles* **2007**, *72*, 709–721.
29. Washio, T.; Yamaguchi, R.; Abe, T.; Nambu, H.; Anada, M.; Hashimoto, S. Asymmetric Syntheses of Diarylheptanoid Natural Products, (–)-Centrolobine and (–)-de-*O*-Methylcentrolobine *via* Hetero-Diels–Alder Reaction Catalyzed by Dirhodium(II) Tetrakis[(*R*)-3-(benzene-fused-phthalimido)-2-piperidinonate]. *Tetrahedron* **2007**, *63*, 12037–12046.
30. Anada, M.; Tanaka, M.; Washio, T.; Yamawaki, M.; Abe, T.; Hashimoto, S. Catalytic Enantioselective Amination of Silyl Enol Ethers Using Chiral Dirhodium(II) Carboxylates: Asymmetric Formal Synthesis of (–)-Metazocene. *Org. Lett.* **2007**, *9*, 4559–4562.
31. Washio, T.; Nambu, H.; Anada, M.; Hashimoto, S. Catalytic Asymmetric Hetero-Diels–Alder Route to a Key Intermediate for the Synthesis of Calyxin L. *Tetrahedron: Asymmetry* **2007**, *18*, 2606–2612.
32. Tanaka, M.; Kurosaki, Y.; Washio, T.; Anada, M.; Hashimoto, S. Enantioselective Amination of Silylketene Acetals with (*N*-Arylsulfonylimino)phenyliodonanes Catalyzed by Chiral Dirhodium(II) Carboxylates: Asymmetric Synthesis of Phenylglycine Derivatives. *Tetrahedron Lett.* **2007**, *48*, 8799–8802.
33. Shimada, N.; Anada, M.; Nakamura, S.; Nambu, H.; Tsutsui, H.; Hashimoto, S. "Catalytic Enantioselective Intermolecular Cycloaddition of 2-Diazo-3,6-diketoester-Derived Carbonyl Ylides with Alkynes and Styrenes Using Chiral Dirhodium(II) Carboxylates. *Org. Lett.* **2008**, *10*, 3603–3606.
34. Tanaka, M.; Nakamura, S.; Anada, M.; Hashimoto, S. Catalytic Asymmetric Synthesis of (–)-Ritodrine Hydrochloride via Silyl Enol Ether Amination Using Dirhodium(II) Tetrakis[tetrafluorophthaloyl-(*S*)-*tert*-leucinate]. *Heterocycles* **2008**, *76*, 1633–1645.
35. Anada, M.; Tanaka, M.; Shimada, N.; Nambu, H.; Yamawaki, M.; Hashimoto, S. Asymmetric Formal Synthesis of (–)-Pancracine via Catalytic Enantioselective C–H Amination Process. *Tetrahedron* **2009**, *65*, 3069–3077.
36. Shimada, N.; Nakamura, S.; Anada, M.; Shiro, M.; Hashimoto, S. Enantioselective Construction of 2,8-Dioxabicyclo[3.2.1]octane Ring System via [2,3]-Sigmatropic Rearrangement of Oxonium Ylide Using Chiral Dirhodium(II) Carboxylates. *Chem. Lett.* **2009**, *38*, 488–489.

37. Watanabe, Y.; Washio, T.; Shimada, N.; Anada, M.; Hashimoto, S. Highly Enantioselective Hetero-Diels–Alder Reactions between Rawal's Diene and Aldehydes Catalyzed by Chiral Dirhodium(II) Carboxamidates. *Chem. Commun.* **2009**, 7294–7296.
38. Anada, M.; Washio, T.; Watanabe, Y.; Hashimoto, S. The Mukaiyama Aldol and Mukaiyama–Michael Reaction Promoted by Commercially Available Molecular Sieves. *Heterocycles* **2010**, 80, 1489–1503.
39. Kurosaki, Y.; Shimada, N.; Anada, M.; Nambu, H.; Hashimoto, S. Catalytic Asymmetric Construction of the 7-*exo*-Aryl-6,8-dioxabicyclo[3.2.1]octane Framework of Psoracorylfols B and C Using a Carbonyl Ylide Cycloaddition Strategy. *Bull. Korean Chem. Soc.* **2010**, 31, 694–696.
40. Saito, H.; Uchiyama, T.; Miyake, M.; Anada, M.; Hashimoto, S.; Takabatake, T.; Miyairi, S. Asymmetric Intermolecular N–H Insertion Reaction of Phenyl diazoacetates with Anilines Catalyzed by Achiral Dirhodium(II) Carboxylates and Cinchona Alkaloids. *Heterocycles* **2010**, 81, 1149–1155.
41. Takeda, K.; Oohara, T.; Anada, M.; Nambu, H.; Hashimoto, S. Polymer-Supported Chiral Dirhodium(II) Complex: Highly Durable and Recyclable Catalyst for Asymmetric Intramolecular C–H Insertion Reactions. *Angew. Chem. Int. Ed.* **2010**, 49, 6979–6983.
42. Shimada, N.; Hanari, T.; Kurosaki, Y.; Takeda, K.; Anada, M.; Nambu, H.; Shiro, M.; Hashimoto, S. Catalytic Asymmetric Synthesis of the *endo*-6-Aryl-8-oxabicyclo[3.2.1]oct-3-en-2-one Natural Product from *Ligusticum Chuanxing* via 1,3-Dipolar Cycloaddition of a Formyl-Derived Carbonyl Ylide Using Rh₂(S-TCPTTL)₄. *J. Org. Chem.* **2010**, 75, 6039–6042.
43. Shimada, N.; Hanari, T.; Kurosaki, Y.; Anada, M.; Nambu, H.; Hashimoto, S. Catalytic Asymmetric Synthesis of Descurainin via 1,3-Dipolar Cycloaddition of a Carbonyl Ylide using Rh₂(R-TCPTTL)₄. *Tetrahedron Lett.* **2010**, 51, 6572–6575.
44. Anada, M.; Washio, T.; Watanabe, Y.; Takeda, K.; Hashimoto, S. A Short Catalytic Asymmetric Synthesis of Diospongins A and B via a One-pot Sequential Hetero-Diels–Alder/Mukaiyama–Michael Reaction Process. *Eur. J. Org. Chem.* **2010**, 6850–6854.
45. Goto, T.; Takeda, K.; Shimada, N.; Nambu, H.; Anada, M.; Shiro, M.; Ando, K.; Hashimoto, S. Highly Enantioselective Cyclopropenation Reaction of 1-Alkynes with α-Alkyl-α-diazoesters Catalyzed by Dirhodium(II) Carboxylates. *Angew. Chem. Int. Ed.* **2011**, 50, 6803–6808.

46. Goto, T.; Takeda, K.; Anada, M.; Ando, K.; Hashimoto, S. Enantio- and Diastereoselective Cyclopropanation with *tert*-Butyl α -Diazopropionate Catalyzed by Dirhodium(II) Tetrakis[*N*-tetrabromophthaloyl-(*S*)-*tert*-leucinate]. *Tetrahedron Lett.* **2011**, *52*, 4200–4203.
47. Watanabe, Y.; Washio, T.; Krishnamurthi, J.; Anada, M.; Hashimoto, S. Enantio- and Diastereoselective Hetero-Diels-Alder Reactions between 2-Aza-3-silyloxy-1,3-butadienes and Aldehydes Catalyzed by Chiral Dirhodium(II) Carboxamides. *Chem. Commun.* **2012**, *48*, 6969–6971.
48. Oohara, T.; Nambu, H.; Anada, M.; Takeda, K.; Hashimoto, S. A Polymer-Supported Chiral Fluorinated Dirhodium(II) Complex for Asymmetric Amination of Silyl Enol Ethers. *Adv. Synth. Catal.* **2012**, *354*, 2331–2338.
49. Goto, T.; Onozuka, T.; Kosaka, Y.; Anada, M.; Takeda, K.; Hashimoto, S. Catalytic Asymmetric Intermolecular C-H Insertion Reactions of 1,4-Cyclohexadiene with 2,4-Dimethyl-3-pentyl α -Alkyl- α -diazoacetates using Chiral Dirhodium(II) Carboxylates. *Heterocycles* **2012**, *86*, 1647–1659.
50. Krishnamurthi, J.; Nambu, H.; Takeda, K.; Anada, M.; Yamano, A.; Hashimoto, S. Enantioselective Cycloaddition of Carbonyl Ylides with Arylallenes using Rh₂(S-TCPTTL)₄. *Org. Biomol. Chem.* **2013**, *11*, 5374–5382.
51. Watanabe, Y.; Shimada, N.; Anada, M.; Hashimoto, S. Enantio- and Diastereoselective Hetero-Diels–Alder Reactions between 4-Methyl-substituted Rawal’s Diene and Aldehydes Catalyzed by Chiral Dirhodium(II) Carboxamides: Catalytic Asymmetric Synthesis of (*–*)-*cis*-Aerangis Lactone. *Tetrahedron: Asymmetry* **2014**, *25*, 63–73.
52. Ito, M.; Kondo, Y.; Nambu, H.; Anada, M.; Takeda, K.; Hashimoto, S. Diastereo- and Enantioselective Intramolecular 1,6-C–H Insertion Reactions of α -Diazo Esters Catalyzed by Chiral Dirhodium(II) Carboxylates. *Tetrahedron Lett.* **2015**, *56*, 1397–1400.
53. Natori, Y.; Ito, M.; Anada, M.; Nambu, H.; Hashimoto, S. Catalytic Asymmetric Synthesis of (*–*)-E- δ -Viniferin via an Intramolecular C–H Insertion of Diaryldiazomethane Using Rh₂(S-TFPTTL)4. *Tetrahedron Lett.* **2015**, *56*, 4324–4327.
54. Hanari, T.; Shimada, N.; Kurosaki, Y.; Thrimurtulu, N.; Nambu, H.; Anada, M.; Hashimoto, S. Asymmetric Total Synthesis of (*–*)-Englerin A through Catalytic Diastereo- and Enantioselective Carbonyl Ylide Cycloaddition. *Chem. –Eur. J.* **2015**, *21*, 11671–11676.
55. Miyazawa, T.; Minami, K.; Ito, M.; Anada, M.; Matsunaga, S.; Hashimoto, S. Enantio- and Diastereoselective Desymmetrization of α -Alkyl- α -diazoesters by

Dirhodium(II)-catalyzed Intramolecular C–H Insertion.
Tetrahedron **2016**, 72, 3939–3947.

特許

1. Hashimoto, S.; Anada, M.
Preparation of α -amino carbonyl compounds from α,β -unsaturated carbonyl compounds, and preparation of asymmetric benzomorphans from (R)- α -amino phenylethylcarbonyl compounds.
Jpn. Kokai Tokkyo Koho (2007), 20pp. CODEN: JKXXAF, JP 2007204442
2. Hashimoto, S.; Anada, M.
Asymmetric diaryl exchange catalyst comprising Pd complex having diphosphite ligands.
Jpn. Kokai Tokkyo Koho (2007), 20pp. CODEN: JKXXAF, JP 2007203269
3. Hashimoto, S.; Anada, M.
Polymer-supported metal complex catalyst for stereoselective addition reactions.
PCT Int. Appl. (2008), 41pp. CODEN: PIXXD2, WO 2008013009. A1 20080131
CAN 148:191462

著書

1. 中村精一, 穴田仁洋, 橋本俊一『11. ザラゴジン酸の全合成：ロジウム(II)触媒を用いる骨格形成反応』, 現代化学増刊 43 「最新有機合成化学 ヘテロ原子・遷移金属化合物を用いる合成」, 奈良坂紘一, 岩澤伸治編, 東京化学同人, 2005, pp.151–165.
2. 穴田仁洋, 南部寿則, 橋本俊一『触媒的 C-H 活性化を機軸とする天然物合成』, CSJ カレントレビュー-05 「不活性結合・不活性分子の活性化 革新的な分子変換反応の開拓」, 日本化学会編, 化学同人, 2011, pp. 175–191.

解説

1. 穴田仁洋 『第三級アルコールにも適用可能な新たな水酸基の立体反転法』, フアルマシア **2004**, 40, 336.
2. Anada, M.; Takeda, K.; Ito, M.; Hashimoto, S.
Propanoic acid, 2-Diazo-, 2-methyl-1-(1-methylethyl)propyl ester.
e-EROS Encyclopedia of Reagents for Organic Synthesis, 2014
(DOI: 10.1002/047084289X.rn01693)